Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated).

COLORADO—*Denver.*—Month of August, 1910. Population, 153,522. Total number of deaths from all causes, 282, including typhoid fever 6, scarlet fever 2, diphtheria 5. Cases reported: Typhoid fever 98, smallpox 6, measles 6, scarlet fever 12, diphtheria 51.

FLORIDA.—Week ended September 3, 1910. Reports from the state board of health show typhoid fever present in 6 localities with 19 cases, diphtheria in 1 locality (Tampa) with 3 cases, malaria in 5 localities with 13 cases, tuberculosis in 3 localities with 12 cases.

ILLINOIS—*Alton.*—Month of August, 1910. Population, 17,528. Total number of deaths from all causes 14, including typhoid fever 1, tuberculosis 1. Cases reported: Smallpox 1, scarlet fever 2.

Peoria.—Month of August, 1910. Population, 76,950. Total number of deaths from all causes 83, including typhoid fever 2, diphtheria 2, tuberculosis 3. Cases reported: Smallpox 1, diphtheria 12.

INDIANA—*Marion.*—Month of August, 1910. Population, 27,000. Total number of deaths from all causes 15, including tuberculosis 2. Cases reported: Typhoid fever 4, smallpox 1, measles 5, scarlet fever 2, diphtheria 1.

Muncie.—Month of August, 1910. Population, 31,692. Total number of deaths from all causes 40, including typhoid fever 1, diphtheria 1, tuberculosis 5. Cases reported: Typhoid fever 15, scarlet fever 7, diphtheria 1, tuberculosis 1.

IOWA—*Cedar Rapids.*—Month of July, 1910. Population, 35,000. Total number of deaths from all causes 36, including typhoid fever 1, tuberculosis 4. Cases reported: Smallpox 6, scarlet fever 1, diphtheria 2.

Month of August, 1910. Total number of deaths from all causes 40, including typhoid fever 4, tuberculosis 1. Cases reported: Smallpox 5, scarlet fever 1, diphtheria 2.

Davenport.—Month of August, 1910. Population, 43,000. Total number of deaths from all causes not reported. One death from scarlet fever reported. Cases reported: Scarlet fever 9, diphtheria 5.

MICHIGAN—*Bay City.*—Month of August, 1910. Population, 40,000. Total number of deaths from all causes 64, including typhoid fever 1, tuberculosis 3. Cases reported: Typhoid fever 6, smallpox 2, measles 2, scarlet fever 16, diphtheria 3.

NEW YORK.—Month of July, 1910. Population, 8,871,720. Total number of deaths from all causes 12,942, including typhoid fever 94, smallpox 1 (rural), measles 83, scarlet fever 73, diphtheria 157, pellagra 1, tuberculosis 1,391. Cases reported: Typhoid fever 486, smallpox 9, measles 2,474, scarlet fever 987, diphtheria 1,468, tuberculosis 2,621.

PENNSYLVANIA.—Reports from the state board of health show as follows:

Month of June, 1910. Total number of deaths 8,549, including typhoid fever 79, scarlet fever 98, diphtheria 123, measles 141, whooping cough 90, influenza 27, malarial fever 4, tuberculosis of the lungs 646, tuberculosis of other organs 105, cancer 402, diabetes 50, meningitis 58, pneumonia 671, diarrhea and enteritis under 2 years 718, diarrhea and enteritis over 2 years 89, Bright's disease 468, early infancy 542, suicide 78, accidents in mines and quarries 115, railway injuries 124, other forms of violence 522, all other diseases 3,369.

Month of July, 1910. The total number of cases of communicable diseases was 6,743, distributed as follows: Anthrax 1, cerebro-spinal meningitis 12, chicken pox 120, diphtheria 754, erysipelas 55, German measles 54, malarial fever 10, measles 1,861, mumps 141, pneumonia 198, puerperal fever 6, scarlet fever 620, smallpox 23, tetanus 12, trachoma 3, tuberculosis 1,108, typhoid fever 770, whooping cough 843, anterior polio myelitis 152.

SOUTH CAROLINA—*Charleston.*—Month of August, 1910. Population, 57,593. Total number of deaths from all causes 143, including typhoid fever 11, pellagra 5, tuberculosis 14. Cases reported: Typhoid fever 25, diphtheria 7.

WISCONSIN.—Months of April, May, and June, 1910. Population, 2,388,356. Deaths from contagious diseases: Typhoid fever 61, measles 21, scarlet fever 54, diphtheria 49, tuberculosis 144. Cases reported: Typhoid fever 692, smallpox 128, measles 2,483, scarlet fever 1,371, diphtheria 493, tuberculosis 305.